




WATERHOUSE

MUSICAL & DANCING FOUNTAIN NOZZLES

Product Manual



Fountain Nozzles & Brass Direct-Injection Nozzles

English Edition · Prepared for Waterhouse customers

About This Manual

This manual presents the Waterhouse range of decorative fountain nozzles and direct-injection nozzles for customer reference. It is organized into two parts:

Part 1 - Decorative Fountain Nozzles: stainless-steel, brass, copper and plastic nozzles used to create rotating jets, fans, mushrooms, foam jets, misters and similar visual effects.

Part 2 - Brass Direct-Injection Nozzles: smaller brass fittings used for straight jets, sprays and specialty spring/bubble effects, sized by nominal diameter (DN).

How to read the tables

- **Model No.** - the manufacturer or Waterhouse part/order number. Please quote this number when ordering.
- **Connection Size / Size (DN)** - the thread or pipe connection size of the nozzle.
- **Working Pressure** - the recommended supply-water pressure range, in kilopascals (kPa) or bar where supplied.
- **Flow Rate** - expected water flow through the nozzle, in cubic metres per hour (m³/h) or litres per hour.
- **Spray Height / Coverage Diameter** - the approximate height and spread of the water effect at the stated pressure.
- *A blank cell means the value was not specified for that model.*

Note: Figures are sourced from manufacturer information and current Waterhouse product listings. Please confirm critical dimensions and pump requirements with your Waterhouse representative before finalizing large or technically demanding orders.

Contents - Part 1: Decorative Fountain Nozzles

01	Brass Rotary Fountain Nozzles
02	Flat Mouth Brass Fountain Nozzles
03	Brass / Stainless Steel Adjustable Multi-Water Jet
04	Adjustable Straight Flow Fountain Nozzles
05	Central Upright Fountain Nozzles (Female)
06	Column Flow Fountain Nozzles
07	Frost Shape Fountain Nozzles
08	Mushroom Fountain Nozzles
09	Bubbler Fountain Nozzles
10	Brass Finger-Like Water Fountain Nozzle - Adjustable
11	25mm Brass Adjustable Fireworks Fountain Nozzle
12	25mm Stainless Steel & Plastic Foam Jet Fountain Nozzle
13	Fireworks Fountain Nozzles
14	Spiral Cone Pressure Spray Nozzle
15	Plastic 3 Tier Fountain Nozzle
16	Pistol Morning Glory Stainless Steel Fountain Nozzles
17	40mm 2-Layer Semi-Spherical Fountain Nozzle
18	25mm Windmill Fountain Nozzle
19	Crystal Ball Dandelion Fountain Nozzles
20	3 Tier Fountain Nozzle
21	Frothy Aerated Fountain Nozzles
22	Adjustable Plastic Straight Flow Fountain Nozzles
23	Light and Nozzle for Water Play Park or Mall Fountain
24	Plastic Bubbler Foam Jet Nozzle
25	25mm Solid Stainless Steel Foam Jet Fountain Nozzle
26	Plastic Mushroom Fountain Head
27	Cup Bubbler Fountain Nozzle
28	Brass Mister Nozzles

Contents - Part 2: Brass Direct-Injection Nozzles

01	Adjustable Straight Flow Fountain Nozzles
02	Brass / Stainless Steel Adjustable Multi-Water Jet
03	25mm Brass Adjustable Fireworks Fountain Nozzle
04	Column Flow Fountain Nozzles
05	Fireworks Fountain Nozzles
06	Brass Finger-Like Water Fountain Nozzle - Adjustable
07	Brass Finger-Like Fountain Nozzle - Non-Adjustable
08	3 Tier Fountain Nozzle
09	Mushroom Fountain Nozzles
10	40mm Tulip Skirt Fountain Nozzle
11	Flat Mouth Brass Fountain Nozzles
12	Pistol Morning Glory Stainless Steel Fountain Nozzles
13	Cascade Fountain Nozzles
14	Bubbler Fountain Nozzles
15	Frost Shape Fountain Nozzles
16	Frothy Aerated Fountain Nozzles

PART ONE

Decorative Fountain Nozzles

Stainless-steel, brass, copper and plastic nozzles used to create visual water-display effects - rotating jets, fans, mushrooms, foam jets, misters, showers, spirals and similar effects.

01 Brass Rotary Fountain Nozzles



Model No.	Connection Size	Working Pressure	Flow Rate	Spray Height	Coverage Diameter	Weight	Material	Notes
HR07.1"	25mm	40 kPa	3-5 m³/h	1-3m	1-1.5m	-	Brass	-
HR07.2"	40mm	100 kPa	4-7 m³/h	3-6m	1.5-2m	-	Brass	-

02 Flat Mouth Brass Fountain Nozzles




Model No.	Connection Size	Working Pressure	Flow Rate	Spray Height	Coverage Diameter	Weight	Material	Notes
HR11.3/4" (FM20)	20mm	60 kPa	3-4 m³/h	0.2-0.6m	-	1.02 kg	Brass	-
HR11.1" (FM25)	25mm	60 kPa	4-8 m³/h	0.3-0.8m	-	1.02 kg	Brass	-
HR11.1.5" (FM40)	40mm	100 kPa	6-10 m³/h	0.4-1m	-	1.02 kg	Brass	-

03 Brass / Stainless Steel Adjustable Multi-Water Jet




Model No.	Connection Size	Working Pressure	Flow Rate	Spray Height	Coverage Diameter	Weight	Material	Notes
HR12-1BRASS	25mm	50 kPa	20-30 m³/h	Up to 3m	Approx. 1m	5 kg	Brass	-
HR12-1.12BRAS	40mm	50-100 kPa	25-35 m³/h	3-5m	Approx. 1-1.5m	5 kg	Brass	-
HR12-1.1.5SS	40mm	50-100 kPa	25-35 m³/h	3-5m	Approx. 1-1.5m	5 kg	Stainless Steel	-

04 Adjustable Straight Flow Fountain Nozzles




Model No.	Connection Size	Working Pressure	Flow Rate	Outlet	Coverage Diameter	Weight	Material	Notes
HR01	3mm (Male)	-	-	2mm	Approximately 0.1-8m	0.46 kg	Copper / Brass	-
HR01	6mm (Male)	-	-	2mm	Approximately 0.1-8m	0.46 kg	Copper / Brass	-
HR01	8mm (Male)	-	-	4mm	Approximately 0.1-8m	0.46 kg	Copper / Brass	-
HR01	9mm (Male)	-	-	4mm	Approximately 0.1-8m	0.46 kg	Copper / Brass	-
HR01	10mm (Male)	-	-	4mm	Approximately 0.1-8m	0.46 kg	Copper / Brass	-
HR01	12mm (Male)	-	-	4mm	Approximately 0.1-8m	0.46 kg	Copper / Brass	-
HR01	14mm (Male)	-	-	5mm	Approximately 0.1-8m	0.46 kg	Copper / Brass	-
HR01	15mm (Female)	-	-	6mm	Approximately 0.1-8m	0.46 kg	Copper / Brass	-
HR01	15mm (Male)	-	-	6mm	Approximately 0.1-8m	0.46 kg	Copper / Brass	-
HR01	20mm (Female)	-	-	7mm	Approximately 0.1-8m	0.46 kg	Copper / Brass	-
HR01	25mm (Female)	-	-	9mm	Approximately 0.1-8m	0.46 kg	Copper / Brass	-
HR01	25mm (Male)	-	-	9mm	Approximately 0.1-8m	0.46 kg	Copper / Brass	-
HR01	40mm (Female)	-	-	12mm	Approximately 0.1-8m	0.46 kg	Copper / Brass	-

05 Central Upright Fountain Nozzles (Female)




Model No.	Connection Size	Working Pressure	Flow Rate	Spray Height	Coverage Diameter	Weight	Material	Notes
HRCU25CENTRAL	25mm Female	100-250 kPa	10-18 m³/h	3-8m	0.3m	Approx. 1.5kg	Brass	-
HRCU40CENTRAL	40mm Female	100-350 kPa	12-25 m³/h	4-14m	2.3m	Approx. 1.5kg	Brass	-

06 Column Flow Fountain Nozzles



Model No.	Connection Size	Working Pressure	Flow Rate	Spray Height	Coverage Diameter	Weight	Material	Notes
HR13COL-3/4B	20mm	40 kPa	5 m³/h	2.2m	-	Approx. 0.4kg	Brass	-
HR13COL-1SS	25mm	40 kPa	7 m³/h	2.3m	-	Approx. 0.4kg	Stainless Steel	-
HR13COL-1.1/2SS	40mm	40 kPa	10 m³/h	2.5m	-	Approx. 0.4kg	Stainless Steel	-
HR13COL-1.1/2B	40mm	40 kPa	10 m³/h	2.5m	-	Approx. 0.4kg	Brass	-

07 Frost Shape Fountain Nozzles




Model No.	Connection Size	Working Pressure	Flow Rate	Spray Height	Coverage Diameter	Weight	Material	Notes
HR08.1/2SS	15mm	40 kPa	3-5 m³/h	1-3m	0.3-0.8m	Approx. 0.19kg	Stainless Steel	-
HR08.3/4SS	20mm	100 kPa	4-7 m³/h	3-6m	0.3-0.8m	Approx. 0.19kg	Stainless Steel	-
HR08.1SS	25mm	120-200 kPa	8-13 m³/h	3-6m	0.5-1m	Approx. 0.19kg	Stainless Steel	-
HR08.1	25mm	120-200 kPa	8-13 m³/h	2-8m	0.5-1m	Approx. 0.19kg	Brass	-
HR08.1.5SS	40mm	150-200 kPa	18-20 m³/h	2-13m	0.8-1.2m	Approx. 0.19kg	Stainless Steel	-

08 Mushroom Fountain Nozzles



Model No.	Connection Size	Working Pressure	Flow Rate	Spray Height	Coverage Diameter	Weight	Material	Notes
HR02MUSH1/2	15mm	5-8 kPa	1 m³/h	0.2m	0.3m	-	Brass	-
HR02MUSH3/4	20mm	5-8 kPa	1.5 m³/h	0.25m	0.5m	-	Brass	-
HR02MUSH1"	25mm	6-10 kPa	2 m³/h	0.25m	0.6m	-	Brass	-
MUSHR1.1/2	40mm	6-10 kPa	3 m³/h	0.4m	1m	-	Brass	-
HR02MUSH2"	50mm	6-10 kPa	4-6 m³/h	0.5-0.6m	1.3m	-	Brass	-
HR MA15B	15mm	3-5 kPa	1-2 m³/h	0.2m	0.3m	-	Stainless steel	-
HR MA20B	20mm	3-5 kPa	1-5 m³/h	0.25m	0.5m	-	Stainless steel	-
HR MA25B	25mm	6-10 kPa	2 m³/h	0.25m	0.6m	-	Stainless steel	-

09 Bubbler Fountain Nozzles



Model No.	Connection Size	Working Pressure	Flow Rate	Spray Height	Coverage Diameter	Weight	Material	Notes
HR05.1/2(B15)	15mm	50-80 kPa	2-3 m³/h	0.15-0.3	-	0.12 kg	Brass	-
HR05.3/4(B20)	20mm	50-80 kPa	3-6 m³/h	0.2-0.4	-	0.12 kg	Brass	-
HR05.1(B25)	25mm	50-80 kPa	5-10 m³/h	0.3-0.5	-	0.12 kg	Brass	-
HR05BUB-1-SS	25mm	50-80 kPa	5-10 m³/h	0.3-0.5	-	0.12 kg	Stainless Steel	-
HR05 1.5"	40mm	50-100 kPa	10-18 m³/h	0.4-0.8	-	0.12 kg	Brass	-
HR05BUB-1.1/2SS	40mm	50-100 kPa	10-18 m³/h	0.4-0.8	-	0.12 kg	Stainless Steel	-
HR05 2"	50mm	60-150 kPa	17-25 m³/h	0.5-0.8	-	0.12 kg	Brass	-

10 Brass Finger-Like Water Fountain Nozzle — Adjustable



Model No.	Connection Size	Working Pressure	Flow Rate	Spray Height	Coverage Diameter	Weight	Material	Notes
HR15	20mm	-	-	-	-	Approx. 5kg	Brass	-
HR15	25mm	-	-	-	-	Approx. 5kg	Brass	-
HR15	40mm	-	-	-	-	Approx. 5kg	Brass	-

11 25mm Brass Adjustable Fireworks Fountain Nozzle



Model No.	Connection Size	Working Pressure	Flow Rate	Spray Height	Coverage Diameter	Weight	Material	Notes
HR09.1(AF25)	25mm / 1" DN25 (Female Thread)	50 kPa	12 m³/h / 12,000 L/h	Approx. 2.5m	Approx. 2.3m	Approx. 1.28kg	Brass	-

12 25mm Stainless Steel & Plastic Foam Jet Fountain Nozzle



Model No.	Connection Size	Working Pressure (bar)	Flow Rate	Spray Height	Coverage Diameter	Weight	Material	Notes
HRCP25	25mm (male)	0.5-4 bar	4,000-8,000 litres/hour	Approximately 0.5-1.5m	-	0.58 kg	Stainless steel & plastic	-

13 Fireworks Fountain Nozzles



Model No.	Connection Size	Working Pressure	Flow Rate	Spray Height	Coverage Diameter	Weight	Material	Notes
HR14FIRE-1/4	8mm	30-80 kPa	5 m³/h	2.0m	Approx. 1-2m	Approx. 0.4kg	Brass	-
HR14FIRE-3/4	20mm	50 kPa	5 m³/h	1.8m	Approx. 1-2m	Approx. 0.4kg	Brass	-
HR14FIRE-1"	25mm	50 kPa	7 m³/h	2.3m	Approx. 1-2m	Approx. 0.4kg	Brass	-
HR14FIRE-1 1/2"	40mm	60 kPa	10 m³/h	2.3m	Approx. 1-2m	Approx. 0.4kg	Brass	-
HR14FIRE-2"	50mm	70 kPa	12 m³/h	3.0m	Approx. 1-2m	Approx. 0.4kg	Brass	-

14 Spiral Cone Pressure Spray Nozzle



Model No.	Connection Size	Working Pressure (Bar)	Flow Rate	Spray Height	Coverage Diameter	Weight	Material	Notes
HR21-SF1/2	15mm	Up to 11 bar	-	Approx. 1-3m	Approx. 1-3m	-	304 Stainless Steel	-

15 Plastic 3 Tier Fountain Nozzle



Model No.	Connection Size	Working Pressure	Flow Rate	Spray Height	Coverage Diameter	Weight	Material	Notes
WF 05-3T	1-inch (male)	-	-	Up to approx. 9 ft / 2.7m	Up to approx. 6 ft / 1.8m	-	Plastic	-

16 Pistol Morning Glory Stainless Steel Fountain Nozzles




Model No.	Connection Size	Working Pressure	Flow Rate	Spray Height	Coverage Diameter	Weight	Material	Notes
HR23LECYTH20	20mm	50-80 kPa	2-3 m³/h	0.6-1.5m	-	-	Stainless Steel	-
HR23LECYTH25	25mm	50-100 kPa	3-6 m³/h	0.6-2.5m	-	-	Stainless Steel	-
HR23LECYTH40	40mm	100-160 kPa	3-6 m³/h	0.6-2.5m	-	-	Stainless Steel	-

17 40mm 2-Layer Semi-Spherical Fountain Nozzle



Model No.	Connection Size	Working Pressure	Flow Rate	Spray Height	Coverage Diameter	Weight	Material	Notes
HR27	40mm	50-100 kPa	4-8 m³/h / 4,000-8,000 L/h	-	Approx. 0.8-1.2m	Approx. 1.72kg	Brass	-

18 25mm Windmill Fountain Nozzle




Model No.	Connection Size	Working Pressure	Flow Rate	Spray Height	Coverage Diameter	Weight	Material	Notes
HR07	25mm	-	-	-	-	-	304 Stainless Steel / Brass	-

19 Crystal Ball Dandelion Fountain Nozzles




Model No.	Connection Size	Working Pressure	Flow Rate	Spray Height	Coverage Diameter	Weight	Material	Notes
HR CRYSTAL BALL	40mm, 50mm	80-100 kPa	Approx. 20-25 m³/h	Approx. 0.5-1.0m (model-dependent)	Approx. 0.8-1.0m (model-dependent)	-	Brass or stainless steel	-
HR CRYSTAL BALL	40mm, 50mm	80-100 kPa	Approx. 20-25 m³/h	Approx. 0.5-1.0m (model-dependent)	Approx. 0.8-1.0m (model-dependent)	-	Brass or stainless steel	-
HR CRYSTAL BALL	40mm, 50mm	80-100 kPa	Approx. 20-25 m³/h	Approx. 0.5-1.0m (model-dependent)	Approx. 0.8-1.0m (model-dependent)	-	Brass or stainless steel	-

20 3 Tier Fountain Nozzle




Model No.	Connection Size	Working Pressure	Flow Rate	Spray Height	Coverage Diameter	Weight	Material	Notes
HR06-1	25mm	50 kPa	12 m³/h	2.5m	-	1-3 kg	Brass	-
HR06-1.1/2	40mm	60-100 kPa	15 m³/h	3.5m	-	1-3 kg	Brass	-

21 Frothy Aerated Fountain Nozzles




Model No.	Connection Size	Working Pressure	Flow Rate	Spray Height	Coverage Diameter	Weight	Material	Notes
HRZQ15AER-1/2	15mm	80-150 kPa	2-4 m³/h	0.5-2.0m	-	Approx. 2kg	Brass	-
HRZQ20AERSS	20mm	80-150 kPa	3-4 m³/h	0.5-2.0m	-	Approx. 2kg	Stainless Steel	-
HRZQ25AER	25mm	80-150 kPa	4-5 m³/h	0.5-2.5m	-	Approx. 2kg	Brass	-
HRZQ25AERSS	25mm	80-150 kPa	4-5 m³/h	0.5-2.5m	-	Approx. 2kg	Stainless Steel	-
HRZQ40AER	40mm	80-180 kPa	5-6 m³/h	0.5-3.0m	-	Approx. 2kg	Brass	-

22 Adjustable Plastic Straight Flow Fountain Nozzles



Model No.	Connection Size	Working Pressure	Flow Rate	Spray Height	Coverage Diameter	Weight	Material	Notes
HR01	3mm	40-100 kPa	0.1-1.5 m³/h	1-4 meters	-	0.2 kg	plastic	-
HR01	7mm	50-150 kPa	0.1-1.5 m³/h	1-4 meters	-	0.2 kg	plastic	-

23 Light and Nozzle for Water Play Park or Mall Fountain



Model No.	Connection Size	Working Pressure	Flow Rate	Spray Height	Coverage Diameter	Weight	Material	Notes
D	12mm	-	-	-	-	-	stainless steel	-12v Operation / 18w Light power

24 Plastic Bubbler Foam Jet Nozzle



Model No.	Connection Size	Working Pressure	Flow Rate	Spray Height	Coverage	Weight	Material	Notes
WF-05-B	25mm Male	0.5-2 bar	Min. 5,000 L/h	-	Min. 0.5m collection area	0.25 kg	Plastic	Aerated foam jet; higher splash/noise

25 25mm Solid Stainless Steel Foam Jet Fountain Nozzle



Model No.	Connection Size	Working Pressure	Flow Rate	Spray Height	Coverage	Weight	Material	Notes
HRC25 SS	25mm Male	0.6-4 bar	4,000-15,000 L/h	0.5-1.5m	-	Approx. 1.2kg	Stainless Steel	Foam jet / bubbler

26 Plastic Mushroom Fountain Head



Model No.	Connection Size	Working Pressure	Flow Rate	Spray Height	Coverage	Weight	Material	Notes
WF 05M	25mm	-	-	-	Adjustable diameter	Approx. 0.22kg	Plastic	Mushroom / umbrella / bell; adjustable top

27 Cup Bubbler Fountain Nozzle



Model No.	Connection Size	Working Pressure	Flow Rate	Spray Height	Coverage	Weight	Material	Notes
-	25mm Female	20-100 kPa	2-8 m3/h	0.3-1.5m	-	-	304 Stainless Steel	Injector-style aerating bubbler
-	40mm Female	40-150 kPa	15-20 m3/h	1.0-2.0m	-	-	304 Stainless Steel	Injector-style aerating bubbler

28 Brass Mister Nozzles



Model No.	Connection Size	Working Pressure	Flow Rate	Spray Height	Coverage	Weight	Material	Notes
HR20MIST1/2"	12mm	2 kPa	0.3-1 m3/h	2-5m	4-6m	-	Brass	Fine mist
HR20MIST3/4"	20mm	2 kPa	0.5-1.5 m3/h	2-5m	4-7m	-	Brass	Fine mist
HR20MIST1"	25mm	2 kPa	0.5-2 m3/h	2-5m	5-8m	-	Brass	Fine mist
-	40mm	-	-	-	-	-	Brass	40mm option listed; performance data not specified

The current product listing includes a 40mm purchase option, but technical performance figures are not specified for that size.

PART TWO

Brass Direct-Injection Nozzles

Smaller brass fittings used for straight jets, sprays, and specialty spring/bubble effects, sized by nominal diameter (DN).

01 Adjustable Straight Flow Fountain Nozzles



Model No.	Connection	Weight	Height	Water Outlet	Notes
HR01	3mm (Male)	0.46 kg	Approximately 0.1-8m	2mm	Copper / Brass / Electroplated
HR01	6mm (Male)	0.46 kg	Approximately 0.1-8m	2mm	Copper / Brass / Electroplated
HR01	8mm (Male)	0.46 kg	Approximately 0.1-8m	4mm	Copper / Brass / Electroplated
HR01	9mm (Male)	0.46 kg	Approximately 0.1-8m	4mm	Copper / Brass / Electroplated
HR01	10mm (Male)	0.46 kg	Approximately 0.1-8m	4mm	Copper / Brass / Electroplated
HR01	12mm (Male)	0.46 kg	Approximately 0.1-8m	4mm	Copper / Brass / Electroplated
HR01	14mm (Male)	0.46 kg	Approximately 0.1-8m	5mm	Copper / Brass / Electroplated
HR01	15mm (Female)	0.46 kg	Approximately 0.1-8m	6mm	Copper / Brass / Electroplated
HR01	15mm (Male)	0.46 kg	Approximately 0.1-8m	6mm	Stainless Steel
HR01	20mm (Female)	0.46 kg	Approximately 0.1-8m	7mm	Copper / Brass / Electroplated
HR01	25mm (Female)	0.46 kg	Approximately 0.1-8m	9mm	Copper / Brass / Electroplated
HR01	25mm (Male)	0.46 kg	Approximately 0.1-8m	9mm	Copper / Brass / Electroplated
HR01	40mm (Female)	0.46 kg	Approximately 0.1-8m	12mm	Copper / Brass / Electroplated

02 Brass / Stainless Steel Adjustable Multi-Water Jet




Model No.	Connection	Weight	Height	Water Outlet	Notes
HR12-1BRASS	25mm	5 kg	Up to 3m	-	Coverage: Approx. 1m
HR12-1.12BRAS	40mm	5 kg	3-5m	-	Coverage: Approx. 1-1.5m
HR12-1.1.5SS	40mm	5 kg	3-5m	-	Coverage: Approx. 1-1.5m

03 25mm Brass Adjustable Fireworks Fountain Nozzle



Model No.	Connection	Weight	Height	Water Outlet	Notes
HR09.1(AF25)	25mm (Female)	Approx. 1.28kg	2.5m	-	Brass

04 Column Flow Fountain Nozzles




Model No.	Connection	Weight	Height	Water Outlet	Notes
HR13COL-3/4B	20mm	-	2.2m	-	Brass
HR13COL-1SS	25mm	-	2.2m	-	Stainless Steel
HR13COL-1.1/2B	40mm	-	2.5m	-	Brass
HR13COL-1.1/2SS	40mm	-	2.5m	-	Stainless Steel

05 Fireworks Fountain Nozzles




Model No.	Connection	Weight	Height	Water Outlet	Notes
HR14FIRE-1/4	8mm	Approx. 0.4kg	2.0m	-	Brass
HR14FIRE-3/4	20mm	Approx. 0.4kg	1.8m	-	Brass
HR14FIRE-1"	25mm	Approx. 0.4kg	2.3m	-	Brass
HR14FIRE-1 1/2"	40mm	Approx. 0.4kg	2.3m	-	Brass
HR14FIRE-2"	50mm	Approx. 0.4kg	3.0m	-	Brass

06 Brass Finger-Like Water Fountain Nozzle — Adjustable



Model No.	Connection	Weight	Height	Water Outlet	Notes
Small	20mm	Approx. 5kg	-	-	Brass
Medium	25mm	Approx. 5kg	-	-	Brass
Large	40mm	Approx. 5kg	-	-	Brass

07 Brass Finger-Like Fountain Nozzle — Non-Adjustable



Model No.	Connection / Configuration	Weight	Height	Water Outlet	Notes
15UNADJUS1"	25mm - 2 Row	-	2-3m	-	Brass
15UNADJU1.1/2"	40mm - 1 Row	-	2-5m	-	Brass
15UNAD1-3	25mm - 3 Row	-	2-5m	-	Brass
15UNAD1.1/2-3	40mm - 3 Row	-	2-5m	-	Brass

08 3 Tier Fountain Nozzle



Model No.	Connection	Weight	Height	Water Outlet	Notes
HR06-1	25mm	1-3 kg	2.5m	-	Brass
HR06-1.1/2	40mm	1-3 kg	3.5m	-	Brass

09 Mushroom Fountain Nozzles



Model No.	Connection	Weight	Height	Water Outlet	Notes
HR02MUSH1/2	15mm	-	0.2m	-	Brass
HR02MUSH3/4	20mm	-	0.25m	-	Brass
HR02MUSH1"	25mm	-	0.25m	-	Brass
MUSHR1.1/2	40mm	-	0.4m	-	Brass
HR02MUSH2"	50mm	-	0.5-0.6m	-	Brass
HR MA15B	15mm	-	0.2m	-	Stainless Steel
HR MA20B	20mm	-	0.25m	-	Stainless Steel
HR MA25B	25mm	-	0.25m	-	Stainless Steel

10 40mm Tulip Skirt Fountain Nozzle



Model No.	Connection	Weight	Height	Water Outlet	Notes
HR16-1.1/2	25mm	5 kg	0.5m	-	Brass

11 Flat Mouth Brass Fountain Nozzles



Model No.	Connection	Weight	Height	Water Outlet	Notes
HR11.3/4" (FM20)	20mm	1.02 kg	0.2-0.6m	-	-
HR11.1" (FM25)	25mm	1.02 kg	0.3-0.8m	-	-
HR11.1.5" (FM40)	40mm	1.02 kg	0.4-1m	-	-

12 Pistol Morning Glory Stainless Steel Fountain Nozzles



Model No.	Connection	Weight	Height	Water Outlet	Notes
HR23LECYTH20	20mm	-	0.6-1.5m	-	Stainless Steel
HR23LECYTH25	25mm	-	0.6-2.5m	-	Stainless Steel
HR23LECYTH40	40mm	-	0.6-2.5m	-	Stainless Steel

13 Cascade Fountain Nozzles



Model No.	Connection	Weight (g)	Height (mm)	Water Outlet (mm)	Notes
HR04.1/2	15mm	120	90	10	Brass
HR04.3/4	20mm	120	90	10	Brass
HR04ICETOW1	25mm	260	140	11	Brass
HR04ICTOWSIL1	25mm	630	185	16	silver
HR04ICTOWSIL	40mm	915	200	21	silver
HR04ICETOW1.1/2	40mm	3100	320	20	Brass

14 Bubbler Fountain Nozzles



Model No.	Connection	Weight	Height	Water Outlet	Notes
HR05.1/2(B15)	15mm	-	0.15-0.3	-	Brass
HR05.3/4(B20)	20mm	-	0.2-0.4	-	Brass
HR05.1(B25)	25mm	-	0.3-0.5	-	Brass
HR05BUB-1-SS	25mm	-	0.3-0.5	-	Stainless steel
HR05 1.5"	40mm	-	0.4-0.8	-	Brass
HR05BUB-1.1/2SS	40mm	-	0.4-0.8	-	Stainless steel
HR05 2"	50mm	-	0.5-0.8	-	Brass

15 Frost Shape Fountain Nozzles



Model No.	Connection	Weight	Height	Water Outlet	Notes
HR08.1/2SS	15mm	Approx. 0.19kg	1-3m	-	Stainless Steel
HR08.3/4SS	20mm	Approx. 0.19kg	3-6m	-	Stainless Steel
HR08.1SS	25mm	Approx. 0.19kg	3-6m	-	Stainless Steel
HR08.1	25mm	Approx. 0.19kg	2-8m	-	Brass
HR08.1.5SS	40mm	Approx. 0.19kg	2-13m	-	Stainless Steel

16 Frothy Aerated Fountain Nozzles



Model No.	Connection	Weight	Height	Water Outlet	Notes
HRZQ15AER-1/2	15mm	Approx. 2kg	0.5-2.0m	-	Brass
HRZQ20AERSS	20mm	Approx. 2kg	0.5-2.0m	-	Stainless Steel
HRZQ25AER	25mm	Approx. 2kg	0.5-2.5m	-	Brass
HRZQ25AERSS	25mm	Approx. 2kg	0.5-2.5m	-	Stainless Steel
HRZQ40AER	40mm	Approx. 2kg	0.5-3.0m	-	Brass